

shop·vac



PREMIUM
CRAFTSMAN
TOOLS

PREMIUM SERIES

Classic.....	Page 1	Pump Vacs.....	Page 6
High Performance.....	Page 2	Blower Vacs.....	Page 7
Stainless Steel.....	Page 3	Speciality.....	Page 8
Portables.....	Page 4	Hang-Up & Ash Vac.....	Page 9
All Arouds.....	Page 5		

CLASSIC

These wet/dry vacs offer an even greater range of quiet power. With motors ranging from 2.0 to 3.0 peak horsepower[†], we can equip you with the power you need, for any mess...wet or dry.

2035000 - 5 U.S. Gallons*

2.0 Peak HP[†] - 2 Yr. Warranty

Accessories - 7' x 1¼" Hose, (3) Extension Wands, 10" Wet/Dry Nozzle, Tool Holder, Foam Sleeve and Reusable Dry Filter.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
2035000	5 U.S. Gal*	2.0 [†]	0 26282 00005 7	13¾" x 13¾" x 17½"	1.91	12 lbs. (5.4 kg)	60 [†]	55 [†] <i>(inches of water)</i>	125 [†]	120V~60Hz 7.8A	6 ft.

5985004 - 6 U.S. Gallons*

3.0 Peak HP[†] - 3 Yr. Warranty

Accessories - 7' x 1¼" Hose, (3) Extension Wands, 10" Wet/Dry Nozzle, Crevice Tool, Round Brush, Gulper Nozzle, Tool Holder, Foam Sleeve and Reusable Dry Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5985004	6 U.S. Gal*	3.0 [†]	0 26282 04598 0	13¾" x 13¾" x 22¼"	2.43	13 lbs. (5.9 kg)	65 [†]	55 [†] <i>(inches of water)</i>	150 [†]	120V~60Hz 8.4A	6 ft.

5985100 - 8 U.S. Gallons*

3.0 Peak HP[†] - 3 Yr. Warranty

Accessories - 7' x 1¼" Hose, (3) Extension Wands, 10" Wet/Dry Nozzle, Tool Holder, Foam Sleeve and Reusable Dry Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5985100	8 U.S. Gal*	3.0 [†]	0 26282 59851 6	16¾" x 16¾" x 22¼"	3.45	16 lbs. (7.3 kg)	65 [†]	55 [†] <i>(inches of water)</i>	150 [†]	120V~60Hz 8.4A	6 ft.

1. [†]ASTM Tested with an 7 ft. long x 1¼" in. diameter Shop-Vac® hose.

shop-vac[®] BRAND

HIGH PERFORMANCE

These wet/dry vacs offer an even greater range of quiet power. From 4.5 to 6.5 peak horsepower†, the High Performance series offers the maximum power you need for the toughest messes...wet or dry.

5987200 - 10 U.S. Gallons*

4.5 Peak HP† - 3 Yr. Warranty

Accessories - 8' x 2½" Hose, (2) Extension Wands
8" Nozzle, Tool Bag, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987200	10 U.S. Gal*	4.5†	0 26282 59872 1	16⅞" x 16⅞" x 25½"	3.9	18 lbs. (10.9 kg)	130**	58** <i>(inches of water)</i>	240**	120V~60Hz 9.9A	6 ft.

5987300 - 12 U.S. Gallons*

5.5 Peak HP† - 5 Yr. Warranty

Accessories - 8' x 2½" Hose, (2) Extension Wands
14" Wet/Dry Floor Nozzle, 14" Brush Shoe, 14" Squeegee Shoe
Tool Bag, Cartridge Filter, Foam Sleeve and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987300	12 U.S. Gal*	5.5†	0 26282 59873 8	18⅞" x 18⅞" x 24½"	4.66	24 lbs. (10.9 kg)	140**	70** <i>(inches of water)</i>	370**	120V~60Hz 11.6A	12 ft.

5987400 - 16 U.S. Gallons*

6.5 Peak HP† - 5 Yr. Warranty

Accessories - 8' x 2½" Hose, (2) Extension Wands
14" Wet/Dry Floor Nozzle, Crevice Tool, 14" Brush Shoe, 14"
Squeegee Shoe, Tool Holder, Tool Bag, Foam Sleeve, Cartridge
Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5987400	16 U.S. Gal*	6.5†	0 26282 59874 5	19¾" x 19¾" x 24¼"	5.47	27 lbs.	150**	72** <i>(inches of water)</i>	370**	120V~60Hz 12A	12 ft.

††ASTM Tested with an 8 ft. long x 2½" in. diameter Shop-Vac® hose.

STAINLESS STEEL

The Stainless Steel Series gives you the power to take the work out of cleaning.

STAINLESS STEEL

5989300 - 5 U.S. Gallons*

4.5 Peak HP[†] - 3 Yr. Warranty

Accessories - 7' x 1 1/4" Hose, (3) Extension Wands
10" Wet/Dry Nozzle, Crevice Tool, Gulper Nozzle, Tool Holder
Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989300	5 U.S. Gal*	4.5 [†]	0 26282 59893 6	13 1/2" x 13 1/2" x 19 1/2"	6.5	17 lbs. (7.7 kg)	130 [†]	58 [†] <i>(Inches of water)</i>	240 [†]	120V~60Hz 9.9A	6 ft.

5989400 - 8 U.S. Gallons*

6.0 Peak HP[†] - 3 Yr. Warranty

Accessories - 7' x 1 1/4" Hose, (3) Extension Wands
10" Wet/Dry Nozzle, Crevice Tool, Gulper Nozzle, Tool Holder
Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989400	8 U.S. Gal*	6.0 [†]	0 26282 59894 3	16 3/4" x 16 3/4" x 21 1/4"	3.4	20 lbs.	145 [†]	52 [†] <i>(Inches of water)</i>	240 [†]	120V~60Hz 11.8A	12 ft.

5989500 - 12 U.S. Gallons*

5.5 Peak HP[†] - 5 Yr. Warranty

Accessories - 8' x 2 1/2" Hose, (2) Extension Wands
14" Wet/Dry Floor Nozzle, Crevice Tool, Tool Holder, Foam Sleeve
Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5989500	12 U.S. Gal*	5.5 [†]	0 26282 59895 0	16 3/4" x 16 3/4" x 27 1/4"	4.4	24 lbs. (10.9 kg)	140 ^{**}	70 ^{**} <i>(Inches of water)</i>	370 ^{**}	120V~60Hz 11.6A	18 ft.

3. [†]ASTM Tested with an 7 ft. long x 1 1/4" in. diameter Shop-Vac[®] hose. ^{**}ASTM Tested with an 8 ft. long x 2 1/2" in. diameter Shop-Vac[®] hose.

shop·vac®

PORTABLES

These vacs are lightweight and portable. They can be used for quick wet and dry pick up jobs in your house, garage, workshop or vehicles. The wall mount bracket makes for easy, compact storage.

2030100 - 1.5 U.S. Gallons*

2.0 Peak HP† - 2 Yr. Warranty

Accessories - 4' x 1¼" Hose, Gulper Nozzle, Crevice Tool, Tool Holder, Wall Mount Bracket, Reusable Dry Filter and Foam Sleeve.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
2030100	1.5 U.S. Gal*	2.0†	0 26282 20301 4	11¾" x 10¾" x 11¾"	.86	8 lbs.	50†	46† <i>(inches of water)</i>	90†	120V~60Hz 7.8A	6 ft.

2036000 - 2.5 U.S. Gallons*

2.5 Peak HP† - 3 Yr. Warranty

Accessories - 4' x 1¼" Hose, Gulper Nozzle, Crevice Tool, Tool Holder, Wall Mount Bracket, Reusable Dry Filter and Foam Sleeve.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
2036000	2.5 U.S. Gal*	2.5†	0 26282 20360 1	12½" x 11¼" x 13"	1.06	9 lbs.	60†	56† <i>(inches of water)</i>	120†	120V~60Hz 8A	6 ft.

3940100 - 3.5 U.S. Gallons*

3.0 Peak HP† - 3 Yr. Warranty

Accessories - 18' x 1¼" Lock-On® Hose, (3) Extension Wands, 10" Wet/Dry Nozzle, Gulper Nozzle, Crevice Tool, Round Brush, Wall Mount Bracket, Tool Storage Bag, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
3940100	3.5 U.S. Gal*	3.0†	0 26282 39401 9	12⅞" x 12⅞" x 26¼"	2.5	15 lbs.	50†	50† <i>(inches of water)</i>	105†	120V~60Hz 7.2A	6 ft.

†ASTM Tested with an 4 ft. long x 1¼" in. diameter Shop-Vac® hose.

PORTABLES

ALLAROUNDS

These vacs are specifically designed for household use...
"All Around" the house.

AllArounds

5895100, 5895200 & 5895400

3 Yr. Warranty

Accessories - 7' x 1 1/4" Hose, (2) Extension Wands
Bare/Carpeted Floor Nozzle, Gulper Nozzle, Crevice Tool, Round
Brush, Wall Bracket, Foam Sleeve and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5895100	1.5 U.S. Gal*	2.0 [†]	0 26282 58951 4	12 1/4" x 9 5/8" x 17 1/4"	1.2	11 lbs.	45 [†]	47 [†] <i>(inches of water)</i>	90 [†]	120V~60Hz 7.4A	18 ft.
5895200	2.5 U.S. Gal*	2.5 [†]	0 26282 58952 1	12 3/8" x 11 5/8" x 17"	1.4	13 lbs.	50	47 [†] <i>(inches of water)</i>	110 [†]	120V~60Hz 8A	
5895400	4.0 U.S. Gal*	4.5 [†]	0 26282 58954 5	13 1/4" x 12 1/4" x 20 1/2"	1.9	15 lbs.	75 [†]	56 [†] <i>(inches of water)</i>	160 [†]	120V~60Hz 9A	18 ft.

5870400- 4.0 U.S. Gallons*

4.5 Peak HP[†] - 3 Yr. Warranty

Accessories - 8' x 1 1/4" Lock-On[®] Hose, (2) Extension
Wands, Bare/Carpeted Floor Nozzle, 10" Wet/Dry Nozzle, Gulper
Nozzle, Crevice Tool, Round Brush, Accessory Basket, Cartridge
Filter and High Efficiency Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5870400	4.0 U.S. Gal*	4.5 [†]	0 26282 58704 6	20 1/2" x 12 3/4" x 16"	2.4	17 lbs.	65 [†]	54 [†] <i>(inches of water)</i>	135 [†]	120V~60Hz 9A	18 ft.

5. [†]ASTM Tested with an 7 ft. long x 1 1/4" in. diameter Shop-Vac[®] hose.

shop·vac[®]

PUMP VACS

The Pump Vac gives you a wet/dry vac with a built-in water pump[§]. The built in water pump allows you to remove liquids from the vacuum's tank using a standard garden hose (not included).

5821200 - 12 U.S. Gallons*

5.0 Peak HP[†] - 3 Yr. Warranty

Accessories - 8' x 2½" Lock-On[®] Hose, (2) Extension Wands, 14" Wet/Dry Floor Nozzle, Elbow Grip, Tool Holder, Hose Holder, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5821200	12 U.S. Gal*	5.0 [†]	0 26282 58212 6	18¼" x 18¼" x 24½"	4.72	25 lbs.	135 ^{††}	54 ^{††} <i>(inches of water)</i>	255 ^{††}	120V~60Hz 11.3A	12 ft.

5821600 - 16 U.S. Gallons*

6.0[†] Peak HP[†] - 3 Yr. Warranty

Accessories - 8' x 2½" Lock-On[®] Hose, (2) Extension Wands, 14" Wet/Dry Floor Nozzle, Elbow Grip, Tool Holder, Hose Holder, Foam Sleeve, Cartridge Filter and Filter Bag.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5821600	16 U.S. Gal*	6.0 [†]	0 26282 58216 4	19¾" x 19¾" x 24½"	5.53	35 lbs.	135 ^{††}	52 ^{††} <i>(inches of water)</i>	270 [†]	120V~60Hz 11.8A	12 ft.



HOOK IT UP



PICK IT UP



PUMP IT OUT

^{††}ASTM Tested with an 8 ft. long x 2½" in. diameter Shop-Vac[®] hose. [§]Garden hose not included.

PUMP VACS

BLOWER VACS

BLOWER VACS

This Blower Vac gives you a wet/dry vacuum that can also be converted into a handheld, detachable blower.

9630704 - 6 U.S. Gallons*

2.5 Peak HP[†] - 3 Yr. Warranty

Accessories - 7' x 1 1/4" Lock-On[®] Hose, (3) 1 1/4" Extension Wands, 10" x 1 1/4" Wet/Dry Nozzle, (1) 2 1/2" Extension Wand, 1 1/4" Gulper Nozzle, 1 1/4" Crevice Tool, 1 1/4" Round Brush, 2 1/2" Utility/Blower Nozzle, 2 1/2" Concentrator Nozzle, Foam Sleeve, Filter Disc with Filter Ring.



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
9630704	6 U.S. Gal*	2.5 [†]	0 26282 96307 9	16 1/8" x 16 1/8" x 21"	3.2	17 lbs.	60 [†]	48 [†] <i>(inches of water)</i>	115 [†]	120V~60Hz 7.8A	6 ft.

9631104 - 10 U.S. Gallons*

4.5 Peak HP[†] - 3 Yr. Warranty

Accessories - 7' x 1 1/4" Lock-On[®] Hose, (3) 1 1/4" Extension Wands, 10" x 1 1/4" Wet/Dry Nozzle, 8' x 2 1/2" Lock-On[®] Hose, (2) 2 1/2" Extension Wands, 8" x 2 1/2" Utility Nozzle, 14" x 2 1/2" Wet/Dry Nozzle, 2 1/2" Utility/Blower Nozzle, 2 1/2" Crevice Tool, Accessory Basket, Cartridge Filter and Foam Sleeve



Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
9631104	10 U.S. Gal*	4.5 [†]	0 26282 96311 6	18 1/8" x 18 1/8" x 27"	5.1	28 lbs.	65 [†]	48 [†] <i>(inches of water)</i>	125 [†]	120V~60Hz 9.5A	18 ft.



DETACHABLE BLOWER



HANDHELD BLOWER

7. [†]ASTM Tested with an 7 ft. long x 1 1/4" in. diameter Shop-Vac[®] hose.

3880210 - 2.5 U.S. Gallons*

3.5 Peak HP† - 1 Yr. Warranty

Accessories - 4' x 1¼" Hose, Gulper Nozzle, Crevice Tool Round Brush and Ultra Web Cartridge Filter.



Wet/Dry Vacuum with Removable Toolbox.



TOOLMATE

Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
3880210	2.5 U.S. Gal*	3.5†	0 26282 10388 8	29" x 14½" x 13½"	3.23	22 lbs.	50†	50† <i>(inches of water)</i>	100†	120V~60Hz 7.5A	18 ft.

9253800 - 8 U.S. Gallons*

2.0 Peak HP†, 2-Stage Motor - 1 Yr. Warranty

Accessories - 30' x 1¼" Lock-On® Hose, (2) Extension Wands, 12" Wet/Dry Nozzle with Brush and Squeegee, Crevice Tool, Claw Nozzle, Wall Mount Bracket, Tool Holder, Cartridge Filter and Foam Sleeve.



Centralized Cleaning Convenience.



GARAGE VAC

Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
9253800	8 U.S. Gal*	2.0†	0 26282 92538 1	14¾" x 14¾" x 32¾"	4.1	24 lbs.	75†	80† <i>(inches of water)</i>	190†	120V~60Hz 7.4A	6 ft.

5872900 - 5 U.S. Gallons*

6.0 Peak HP† - 3 Yr. Warranty

Accessories - 12' x 1½" Lock-On® Hose, (2) 1½" Extension Wands, 12" Nozzle with Brush and Squeegee, Crevice Tool, Claw Nozzle, Elbow Grip, Adapter, Wall Mount Bracket Cartridge Filter and Filter Bag.



Heavy-Duty Portable



HAWKEYE

Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
5872900	5 U.S. Gal*	6.0†	0 26282 58729 9	20½" x 19¼" x 18"	4.1	22 lbs.	65†	50† <i>(inches of water)</i>	125†	120V~60Hz 11.8A	20 ft.

*ASTM Tested with an 7 ft. long x 1¼" in. diameter Shop-Vac® hose.

ASH VAC & SHOP SWEEP

Specifically designed for Fireplaces, Wood/Pellet Stoves
Coal Stoves, BBQ Grills and more.

4041300 - Dry Vacuum

2 Yr. Warranty

Accessories - 4' x 1½" Lock-On® Hose with Metal Intake Nozzle, Metal Crevice Tool, CleanStream® HEPA Cartridge Filter and Pellet Stove Kit.



ASH VACUUM

Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
4041300	N/A	N/A	0 26282 40413 8	12¾" x 12¾" x 18½"	1.74	13.1 lbs.	65 [†]	38 [†] <i>(inches of water)</i>	95 [†]	120V~60Hz 6.3A	6 ft.

4050010 - 8.0 U.S. Gallons*

1.25 Peak HP[†], Dry Pick Up Only

1 Yr. Warranty

Features -

- Works on hard surface areas, including low-nap commercial carpeting.
- Great for workshops, parking areas, lawns (turns lawn debris into mulch), lobbies, sidewalks, hallways and entry ways.
- Ergonomically designed handle.
- Large diameter wheels for easy mobility; built in kickstand.
- Features 19" wide nozzle, two height settings and 8 gallon collection bag with zipper.
- Extension Cord not included.



SHOP SWEEP

Catalog	Capacity	Peak HP	UPC	Carton Dimensions	Cube	Shipping Weight	Cubic Feet per Minute	Sealed Pressure	Air Watts	Electric Rating	Cord
4050010	8 U.S. Gal*	1.25 [†]	0 26282 40500 5	22" x 16¼" x 17"	3.5	17 lbs.	N/A	N/A <i>(inches of water)</i>	N/A	120V~60Hz 6A	18 in.*

ASH VAC & SHOP SWEEP

Shop-Vac Corporation

2323 Reach Road, Williamsport, PA 17701 | Phone: 570-326-3557 | Fax: 570-326-7185 | www.shopvac.com

©2017 Shop-Vac Corporation. All rights reserved.

Shop-Vac® is a registered trademark of the Shop-Vac Corporation.

†“Peak Horsepower” (PHP) is a term used in the wet-dry vacuum industry for consumer comparison purposes. It does not denote the operational horsepower of a wet-dry vacuum but rather the horsepower output of a motor, including the motor’s inertial contribution, achieved in laboratory testing. In actual use, Shop-Vac motors do not operate at the peak horsepower shown.

*Tank capacity refers to actual tank volume, and does not reflect capacity available during operation.

SYA0001217